Table 1.A. - Preliminary Cod Landings by Stock Area

									2003/20	004*	2002/20	003*
	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	- AUG 03	May03-Aug03	Target	May02-Aug02	Target
									as a % of Target	TAC	as a % of Target	TAC
	1000 Lbs	Percent	TAC	1000 Lbs	TAC	1000 Lbs						
GULF OF MAINE	886	30%	787	42%	349	52%	2,223	33%	38%	5,899	56%	4,229
OTTER TRAWL	520	17%	430	23%	165	24%	1,221	18%			28%	
GILLNET	352	12%	348	18%	180	27%	953	14%	16%		26%	
HOOK	8	0%	2	0%	0	0%	14	0%	0%		0%	
OTHER GEARS	6	0%	7	0%	4	1%	35	1%	1%		2%	
			-				0				0	
GEORGES BANK	2,089	70%	1,106	58%	324	48%	4,567	67%	80%	5,694	64%	10,803
OTTER TRAWL	1,781	60%	476	25%	229	34%	3,490				46%	
GILLNET	212	7%	591	31%	87	13%	915				14%	
HOOK	10	0%	18	1%	5	1%	39		1%		2%	
OTHER GEARS	86	3%	21	1%	3	0%	124	2%	2%		2%	
							0				0	
ALL AREAS	2,975	100%	1,893	100%	674	100%	6,790	100%	59%	11,593	61%	15,032
OTTER TRAWL	2,301	77%	906	48%	394	58%	4,711	69%			41%	
GILLNET	564	19%	939	50%	267	40%	1,868				17%	
HOOK	18	1%	20	1%	5	1%	53		0%		1%	
OTHER GEARS	92	3%	28	1%	7	1%	159	2%	1%		2%	
LANDINGS - ALL AREAS												
Fishing Year 2003/2004	2,975		1,893		674		4,223					
Fishing Year 2002/2003	2,962		2,456		1,810		4,973					
Fishing Year 2001/2002	4,580		3,165		2,335		7,308					
Fishing Year 2000/2001	3,858		2,258		1,828		6,372					
Fishing Year 1999/2000	2,347		1,610		1,609		6,226					
Fishing Year 1998/1999	2,790		1,620		1,356		6,656					

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

- 2. Landings in live weight.
- 3. State landings for 2002 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May - Aug 2003

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF O	FMAINE	GEORGE	S BANK	OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent										
Portland, ME	426	249	58%	177	42%	222	52%	201	47%	4	1%	0	0%
Gloucester, MA	1,383	829	60%	554	40%	1,058	77%	308	22%	10	1%	7	0%
Boston, MA	155	19	12%	136	88%	155	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,427	63	3%	2,364	97%	2,422	100%	2	0%	0	0%	2	0%
Point Judith, RI	26	1	5%	25	95%	25	94%	0	0%	0	0%	2	6%
MAINE	768	590	77%	178	23%	403	52%	358	47%	4	0%	4	0%
NEW HAMPSHIRE	414	414	100%	0	0%	149	36%	261	63%	0	0%	3	1%
MASSACHUSETTS	5,487	1,218	22%	4,270	78%	4,079	74%	1,249	23%	49	1%	111	2%
RHODE ISLAND	113	1	1%	112	99%	73	65%	0	0%	0	0%	40	35%
CONNECTICUT	7	0	0%	7	100%	7	99%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	0	0%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,790	2,223	33%	4,567	67%	4,711	69%	1,868	28%	53	1%	159	2%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

2. State landings for CT are estimated for the May 2003 - Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

									2003/20	004*	2002/20	003*
	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -		May03-Aug03	Target	May02-Aug02	Target
			,						as a % of Target		as a % of Target	TAC
	1000 Lbs	Percent	TAC	1000 Lbs	TAC	1000 Lbs						
GULF OF MAINE	224	13%	133	19%	125	28%	614	13%				
OTTER TRAWL	185	11%		17%		17%		11%				
GILLNET	30	2%	9	1%		10%	85	2%				
HOOK	9	1%	0	0%		0%		0%				
OTHER GEARS	0	0%	1	0%	2	0%	3	0%				
GEORGES BANK	1,481	87%	587	81%	323	72%	4,034	87%	16%	25,586	22%	25,751
OTTER TRAWL	1,438	84%	536	74%	319	71%		85%			21%	
GILLNET	13	1%	49	7%		1%	65	1%			1%	
HOOK	0	0%	3	0%		0%	4	0%			0%	
OTHER GEARS	30	2%	0	0%	0	0%	30	1%	0%		0%	
SNE/ MID-ATLANTIC	0	0%	0	0%	0	0%	0	0%				
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%				
GILLNET	0	0%	0	0%	0	0%	0	0%				
HOOK	0	0%	0	0%	0	0%	0	0%				
OTHER GEARS	0	0%	0	0%	0	0%	0	0%				
ALL AREAS	1,704	100%	721	100%	448	100%	4,647	100%				
OTTER TRAWL	1,623	95%	660	91%		88%	4,445	96%				
GILLNET	42	2%	58	8%	48	11%	150	3%				
HOOK	9	1%	3	0%	1	0%	19	0%				
OTHER GEARS	30	2%	1	0%	2	0%	33	1%				
LANDINGS - ALL AREAS												
Fishing Year 2003/2004	1,704		721		448		4,647					
Fishing Year 2002/2003	1,802		1,612		960		5,956					
Fishing Year 2001/2002	840		822		1,004		3,386					
Fishing Year 2000/2001	786		504		683		2,555					
Fishing Year 1999/2000	628		800		622		2,805					
Fishing Year 1998/1999	457		626		561		1,644					

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. State landings for 2002 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May - Aug 2003

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF OF	MAINE	GEORGE	SBANK	MID-ATI	ANTIC	OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent												
Portland, ME	238	73	31%	165	69%	0	0%	189	79%	40	17%	9	4%	0	0%
Gloucester, MA	916	303	33%	613	67%	0	0%	883	96%	25	3%	6	1%	2	0%
Boston, MA	98	43	44%	55	56%	0	0%	98	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,840	32	1%	2,808	99%	0	0%	2,840	100%	0	0%	0	0%	0	0%
Point Judith, RI	71	0	0%	71	100%	0	0%	71	100%	0	0%	0	0%	0	0%
		-		-		-								-	
MAINE	280	116	41%	165	59%	0	0%	228	81%	43	15%	9	3%	0	0%
NEW HAMPSHIRE	42	42	100%	0	0%	0	0%	25	60%	16	39%	0	0%	0	0%
MASSACHUSETTS	4,120	456	11%	3,664	89%	0	0%	4,015	97%	91	2%	10	0%	3	0%
RHODE ISLAND	192	0	0%	191	100%	0	0%	162	84%	0	0%	0	0%	30	16%
CONNECTICUT	14	0	0%	14	100%	0	0%	14	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,647	614	13%	4,034	87%	0	0%	4,445	96%	150	3%	19	0%	33	1%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. State landings for CT are estimated for the May 2003 - Aug 2003 period. State landings for NY are estimated for the Jun. 2003 period.

- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

										2003/2	004*	2002/20	003*
		JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	AUG 03	May03-Aug03	Target	May02-Aug02	Target
		1								as a % of Target TAC		as a % of Target TAC	TAC
		1000 Lbs	Percent	IAC	1000 Lbs	IAC	1000 Lbs						
GULF OF MAIN		17	2%	35	5%	0	0%	54	2%				
C	OTTER TRAWL	16	2%	35	5%	0	0%	54	2%				
	GILLNET	0	0%	0		0	0%	0	0%				
	HOOK	0	0%	0		0	0%	0	0%				
C	THER GEARS	0	0%	0	0%	0	0%	0	0%				
					1							ļ	
CAPE COD		438	48%	203	30%	153	39%	931	28%				
C	OTTER TRAWL	429	47%	196	29%	144	37%	902	28%				
	GILLNET	9	1%	7	1%	9	2%	29	1%				
	HOOK	0	0%	0		0	0%	0	0%				
0	OTHER GEARS	0	0%	0	0%	0	0%	0	0%				
GEORGES BAI		451	50%	389	58%	236	60%	2,208	67%	13%	17,288	12%	15,003
C	OTTER TRAWL	448	49%	389	58%	236	60%	2,204	67%	13%		12%	
	GILLNET	2	0%	0	0%	0	0%	2	0%	0%		0%	
	HOOK	0	0%	0		0	0%	0	0%	0%		0%	
О	OTHER GEARS	1	0%	0	0%	0	0%	2	0%	0%		0%	
SNE/ MID-ATL/		5	1%	39	6%	3	1%	79	2%	20%	393	10%	2,092
C	OTTER TRAWL	5	0	39	0	3	0	78	2%			10%	
	GILLNET	0	0%	0		0	0%	1	0%	0%		0%	
	HOOK	0	0%	0		0	0%	0	0%	0%		0%	
О	OTHER GEARS	0	0%	0	0%	0	0%	1	0%	0%		0%	
ALL AREAS		911	100%	666	100%	392	100%	3,272	100%				
C	OTTER TRAWL	898	99%	659	99%	383	98%	3,237	99%				
	GILLNET	11	1%	7	1%	9	2%	31	1%				
	HOOK	0	0%	0		0	0%	0	0%				
С	OTHER GEARS	2	0%	0	0%	0	0%	3	0%				
LANDINGS - A	LL AREAS												
Fishing Y	ear 2003/2004	911		666		392		3,272					
Fishing Y	ear 2002/2003	1,157		577		485		3,577					
Fishing Y	ear 2001/2002	1,452		796		853		5,514					
Fishing Y	ear 2000/2001	1,168		864		547		4,468					
Fishing Y	ear 1999/2000	789		402		281		2,587					
Fishing Y	ear 1998/1999	430		430		410		1,968					

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. State landings for 2002 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May - Aug 2003

					STOCK	AREAS							GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF OF	MAINE	CAPE	COD	GEORGE	S BANK	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	31	0	0%	4	12%	27	87%	0	0%	31	100%	0	0%	0	0%	0	0%
Gloucester, MA	377	8	2%	300	80%	67	18%	1	0%	364	97%	13	3%	0	0%	0	0%
Boston, MA	6	1	24%	0	0%	4	74%	0	0%	6	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,289	3	0%	227	10%	2,032	89%	26	1%	2,287	100%	0	0%	0	0%	1	0%
Point Judith, RI	78	18	22%	5	6%	38	48%	18	23%	78	100%	0	0%	0	0%	0	0%
MAINE	32	1	0%	4	12%	27	85%	0	0%	32	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	38	23	60%	15	40%	0	0%	0	0%	38	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	3,057	13	0%	906	30%	2,106	69%	31	1%	3,024	99%	31	1%	0	0%	1	0%
RHODE ISLAND	127	18	14%	5	4%	70	55%	35	27%	126	99%	0	0%	0	0%	1	1%
CONNECTICUT	5	0	0%	0	0%	5	93%	0	0%	5	93%	0	0%	0	0%	0	0%
NEW YORK	12	0	0%	0	0%	0	0%	12	100%	12	100%	0	0%	0	0%	0	0%
NEW JERSEY	1	0	0%	0	0%	0	0%	1	100%	1	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,272	54	2%	931	28%	2,208	67%	79	2%	3,237	99%	31	1%	0	0%	3	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	AUG 03
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
SNE/ NORTH	829	100%	592	100%	660	100%	3,106	100%
OTTER TRAWL	537	65%	180	30%	91	14%	1,647	53%
GILLNET	290	35%	412	70%	566	86%	1,452	47%
HOOK	1	0%	0	0%	0	0%	3	0%
OTHER GEARS	1	0%	0	0%	2	0%	4	0%
MID-ATLANTIC	1	0%	0	0%	0	0%	1	0%
OTTER TRAWL	1	0%	0	0%	0	0%	1	0%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
ALL AREAS	830	100%	592	100%	660	100%	3,107	100%
OTTER TRAWL	538	65%	180	30%	91	14%	1,648	53%
GILLNET	290	35%	412	70%	566	86%	1,452	47%
HOOK	1	0%	0	0%	0	0%	3	0%
OTHER GEARS	1	0%	0	0%	2	0%	4	0%
Fishing Year 2003/2004 Fishing Year 2002/2003 Fishing Year 2001/2002 Fishing Year 2000/2001 Fishing Year 1999/2000 Fishing Year 1998/1999	830 502 681 652 762 237		592 685 972 818 822 222		660 706 822 782 722 567		3,107 2,275 3,046 2,899 2,700 1,281	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May - Aug 2003

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	SOUTHE ENGL		MID-AT	LANTIC	OTTER	TRAWL	GILL	.NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,472	1,471	100%	1	0%	876	59%	593	40%	3	0%	0	0%
Gloucester, MA	739	739	100%	0	0%	368	50%	369	50%	0	0%	2	0%
Boston, MA	110	110	100%	0	0%	110	100%	0	0%	0	0%	0	0%
New Bedford, MA	60	60	100%	0	0%	60	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
MAINE	1,795	1,795	100%	1	0%	1,029	57%	763	43%	3	0%	0	0%
NEW HAMPSHIRE	344	344	100%	0	0%	53	15%	291	85%	0	0%	0	0%
MASSACHUSETTS	947	947	100%	0	0%	547	58%	398	42%	0	0%	2	0%
RHODE ISLAND	21	21	100%	0	0%	19	94%	0	0%	0	0%	1	6%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,107	3,106	100%	1	0%	1,648	53%	1,452	47%	3	0%	4	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	AUG 03
	1000 Lbs	Percent						
GULF OF MAINE/ GB	763	99%	463	100%	363	100%	1,855	99%
OTTER TRAWL	750	97%	462	100%	360	99%	1,838	98%
GILLNET	7	1%	1	0%	2	1%	11	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	6	1%	0	0%	0	0%	6	0%
SNE / MID-ATLANTIC	8	1%	0	0%	0	0%	16	1%
OTTER TRAWL	8	1%	0	0%	0	0%	16	1%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
			•					
ALL AREAS	770	100%	463	100%	363	100%	1,871	100%
OTTER TRAWL	758	98%	462	100%	360	99%	1,854	99%
GILLNET	7	1%	1	0%	2	1%	11	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	6	1%	0	0%	0	0%	6	0%
LANDINGS - ALL AREAS								
Fishing Year 2003/2004	770		463		363		1,871	
Fishing Year 2002/2003	665		757		682		2,575	
Fishing Year 2001/2002	1,514		1,226		798		4,416	
Fishing Year 2000/2001	1,344		1,311		975		4,388	
Fishing Year 1999/2000	1,099		740		580		3,221	
Fishing Year 1998/1999	972		722		751		3,868	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May - Aug 2003

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF O	F MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	.NET	НО	ОК	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	319	319	100%	1	0%	317	99%	3	.,,		0%	0	0%
Gloucester, MA	331	331	100%	0	0%	329	99%	2	1%	0	0%	0	0%
Boston, MA	58	58	100%	0	0%	58	100%	0	0%	0	0%	0	0%
New Bedford, MA	699	685	98%	15	2%	699	100%	0	0%	0	0%	0	0%
Point Judith, RI	24	24	100%	0	0%	24	100%	0	0%	0	0%	0	0%
MAINE	540	540	100%	1	0%	537	99%	3	1%	0	0%	0	0%
NEW HAMPSHIRE	30	30	100%	0	0%	25	83%	5	17%	0	0%	0	0%
MASSACHUSETTS	1,242	1,227	99%	15	1%	1,239	100%	3	0%	0	0%	0	0%
RHODE ISLAND	57	56	100%	0	0%	51	90%	0	0%	0	0%	6	10%
CONNECTICUT	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,871	1,855	99%	16	1%	1,854	99%	11	1%	0	0%	6	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	· AUG 03
	1000 Lbs	Percent						
GULF OF MAINE	184	11%	141	7%	117	13%	491	8%
OTTER TRAWL	166	10%	117	6%	98	11%	429	7%
GILLNET	19	1%	24	1%	19	2%	62	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
GEORGES BANK	1,340	78%	1,481	76%	480	54%	4,584	71%
OTTER TRAWL	1,334	77%	1,481	76%	480	54%	4,576	71%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	6	0%	1	0%	0	0%	8	0%
SNE/ MID-ATLANTIC	204	12%	324	17%	287	32%	1,339	21%
OTTER TRAWL	196	11%	311	16%	277	31%	1,300	20%
GILLNET	7	0%	12	1%	10	1%	36	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	1	0%	1	0%	0	0%	3	0%
				1000/				1000/
ALL AREAS	1,729	100%	1,947	100%	884	100%	6,414	100%
OTTER TRAWL	1,696	98%	1,909	98%	855	97%	6,305	98%
GILLNET	25	1%	36	2%	29	3%	98	2%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	7	0%	2	0%	0	0%	11	0%
LANDINGS - ALL AREAS								
Fishing Year 2003/2004	1,729		1,947		884		6,414	
Fishing Year 2002/2003	1,841		1,261		861		5,596	
Fishing Year 2001/2002	1,926		1,444		1,574		6,599	
Fishing Year 2000/2001	1,451		1,031		1,621		5,612	
Fishing Year 1999/2000	1,048		956		1,186		4,369	
Fishing Year 1998/1999	1,250		1,368		1,387		5,310	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May - Aug 2003

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF O	FMAINE	GEORGE	S BANK	SOUTHE ENGL		OTTER	TRAWL	GILL	.NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	60	2	4%	43	73%	14	23%	60	100%	0	0%	0	0%	0	0%
Gloucester, MA	293	121	41%	137	47%	35	12%	261	89%	32	11%	0	0%	0	0%
Boston, MA	26	4	14%	23	85%	0	0%	26	100%	0	0%	0	0%	0	0%
New Bedford, MA	4,938	41	1%	4,321	88%	575	12%	4,935	100%	0	0%	0	0%	2	0%
Point Judith, RI	212	1	0%	27	13%	185	87%	212	100%	0	0%	0	0%	0	0%
MAINE	60	3	4%	43	73%	14	23%	60	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	5	5	100%	0	0%	0	0%	4	87%	1	0%	0	0%	0	0%
MASSACHUSETTS	5,636	483	9%	4,481	80%	672	12%	5,536	98%	97	2%	0	0%	3	0%
RHODE ISLAND	311	1	0%	57	18%	254	82%	305	98%	0	0%	0	0%	6	2%
CONNECTICUT	29	0	0%	2	8%	27	92%	29	100%	0	0%	0	0%	0	0%
NEW YORK	117	0	0%	0	0%	117	100%	116	99%	0	0%	0	0%	1	0%
NEW JERSEY	255	0	0%	0	0%	255	100%	254	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,414	491	8%	4,584	71%	1,339	21%	6,305	98%	98	2%	0	0%	11	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	JUN - 2003		JUL -	2003	AUG -	2003	MAY 03 -	AUG 03
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
GULF OF MAINE/ GB	910	98%	982	99%	432	97%	2,780	98%
OTTER TRAWL	894	96%	968	97%	423	95%	2,741	97%
GILLNET	12	1%	15	1%	8	2%	34	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	4	0%	0	0%	1	0%	5	0%
SNE/ MID-ATLANTIC	19	2%	10	1%	15	3%	54	2%
OTTER TRAWL	18	2%	10	1%	15	3%	52	2%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	2	0%	0	0%	0	0%	2	0%
ALL AREAS	929	100%	993	100%	446	100%	2,834	100%
OTTER TRAWL	912	98%	978	99%	437	98%	2,793	99%
GILLNET	12	1%	15	1%	8	2%	34	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	6	1%	0	0%	1	0%	1	0%
LANDINGS - ALL AREAS								
Fishing Year 2003/2004	929		993		446		2,834	
Fishing Year 2002/2003	708		942		684		2,695	
Fishing Year 2001/2002	911		711		574		2,691	
Fishing Year 2000/2001	743		567		527		2,236	
Fishing Year 1999/2000	743		468		452		2,125	
Fishing Year 1998/1999	546		362		337		1,757	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May - Aug 2003

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF O	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	287	286	100%	1	0%	286	100%	1	0%	0	0%	0	0%
Gloucester, MA	975	975	100%	1	0%	955	98%	21	2%	0	0%	0	0%
Boston, MA	114	114	100%	0	0%	114	100%	0	0%	0	0%	0	0%
New Bedford, MA	667	664	100%	3	0%	666	100%	0	0%	0	0%	1	0%
Point Judith, RI	38	25	66%	13	34%	38	100%	0	0%	0	0%	0	0%
MAINE	488	487	100%	1	0%	487	100%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	71	71	100%	0	0%	69	97%	2	3%	0	0%	0	0%
MASSACHUSETTS	2,164	2,159	100%	5	0%	2,130	98%	31	1%	0	0%	3	0%
RHODE ISLAND	72	59	81%	13	19%	68	94%	0	0%	0	0%	4	6%
CONNECTICUT	4	4	100%	0	0%	4	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	33	0	0%	33	100%	33	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,834	2,780	98%	54	2%	2,793	99%	34	1%	0	0%	7	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	JUN - 2003		JUL -	2003	AUG -	2003	MAY 03 -	AUG 03
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
GULF OF MAINE/ GB	0	0%	0	0%	0	0%	3	13%
OTTER TRAWL	0	0%	0	0%	0	0%	3	13%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
		0 0%					•	
SNE/ MID-ATLANTIC			3	94%	1	97%	21	87%
OTTER TRAWL	0	0%	3	94%	1	97%	20	86%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
ALL AREAS	0	0%	4	100%	1	100%	24	100%
OTTER TRAWL	0	0%	4	100%	1	100%	23	99%
GILLNET	0	0%	0	0%	0	0%	0	0%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
LANDINGS - ALL AREAS	_		_		_			
Fishing Year 2003/2004	0		4		1		24	
Fishing Year 2002/2003	7		3		2		31	
Fishing Year 2001/2002	6		9		15		43	
Fishing Year 2000/2001	14		12		7		101	
Fishing Year 1999/2000	10		17		12		58	
Fishing Year 1998/1999	34		107		52		245	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May. 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May - Aug 2003

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	GULF OF	MAINE		RN NEW _AND	OTTER	TRAWL	GILL	.NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
Point Judith, RI	5	1	0%	4	81%	5	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
RHODE ISLAND	6	1	0%	5	84%	6	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	8	0	0%	8	100%	8	97%	0	0%	0	0%	0	0%
NEW JERSEY	7	0	0%	7	100%	7	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	24	3	13%	21	87%	23	99%	0	0%	0	0%	0	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

												2003/20	004*	2002/20	03*
		MAY -	2003	JUN -	2003	JUL -	2003	AUG	- 2003	MAY 03	- AUG 03	May03-Aug03 as a % of Target	Target TAC	May02-Jul03 as a % of Target	Target TAC
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	TAC	1000 Lbs	TAC	1000 Lbs
ATLANTIC POLLOCK	2003/2004	565	13%	876	17%	614	13%	437	15%	2,492	15%	4%			
	2002/2003	427	13%	524	12%	590	14%	561	16%	2,102	18%			4%	
	2001/2002	460	11%	910	15%	824	16%	849	18%	3,043	20%				
	2000/ 2001	632	15%	952	18%	1,003	21%	746	16%	3,332	24%				
	1999/ 2000	554	16%	662	15%	934	23%	652	18%	2,802	24%				
REDFISH	2003/2004	61	1%	64	1%	49	1%	46	2%	220	1%	0%			
	2002/2003	62	2%	61	1%	31	1%	37	1%	191	2%			0%	
	2001/2002	79	2%	101	2%	53	1%	58	1%	290	2%				
	2000/ 2001	100	2%	67	1%	50	1%	56	1%	273	2%				
	1999/ 2000	68	2%	98	2%	47	1%	37	1%	251	2%				
WHITE HAKE	2003/2004	1,025	24%	830	16%	592	13%	660	23%	3,107	18%	5%			1
WITTETIAKE	2002/2003	382	11%	502	12%	685	16%	706	20%	2,275	19%	376		4%	
	2002/2003	571	14%	681	11%	972	19%	822	18%	3,046	20%			4 /0	
	2001/ 2002	648	16%	652	12%	818	17%	782	17%	2,899	21%				
			11%	762	17%	822	21%	722	20%	2,699					
	1999/ 2000	395	11%	762	17%	822	21%	122	20%	2,700	23%				
AMERICAN PLAICE	2003/2004	274	6%	770	15%	463	10%	363	13%	1,871	11%	3%			
	2002/2003	471	14%	665	15%	757	18%	682	19%	2,575	22%			5%	
	2001/2002	878	21%	1,514	25%	1.226	23%	798	17%	4,416	29%				
	2000/ 2001	758	18%	1,344	26%	1,311	27%	975	21%	4,388	31%				
	1999/ 2000	802	23%	1,099	25%	740	19%	580	16%	3,221	27%				
WINTER FLOUNDER	2003/2004	1,854	43%	1,729	33%	1.947	42%	884	31%	6.414	38%	10%			1
WINTERTEGORDER	2002/2003	1,633	49%	1,841	43%	1,261	30%	861	24%	5,596	47%	1076		10%	
		1,656	49%	1,926	32%	1,444	28%	1,574	34%	6,599	43%			10%	
	2001/ 2002 2000/ 2001			,		,		,							
	1999/ 2000	1,509 1,180	37% 34%	1,451 1,048	28% 24%	1,031 956	22% 24%	1,621 1,186	34% 33%	5,612 4,369	40% 37%				
					100/		2.101		100/		.=				
WITCH FLOUNDER	2003/2004	465	11%	929	18%	993	21%	446	16%	2,834	17%	5%		5 0/	
	2002/2003	361	11%	708	16%	942	22%	684	19%	2,695	23%			5%	
	2001/2002	495	12%	911	15%	711	14%	574	12%	2,691	17%				
	2000/2001	400	10%	743	14%	567	12%	527	11%	2,236	16%				
	1999/ 2000	462	13%	743	17%	468	12%	452	12%	2,125	18%				
WINDOWPANE FLDR	2003/2004	19	0%	0	0%	4	0%	1	0%	24	0%	0%		_	
	2002/2003	19	1%	7	0%	3	0%	2	0%	31	0%			0%	
	2001/2002	12	0%	6	0%	9	0%	15	0%	43	0%				
	2000/ 2001	68	2%	14	0%	12	0%	7	0%	101	1%				
	1999/ 2000	19	1%	10	0%	17	0%	12	0%	58	0%				
ALL 7 SPECIES - TOTAL	2003/ 2004 2002/ 2003	4,263 3,355	100% 100%	5,198 4,309	100% 100%	4,662 4,269	100% 100%	2,838 3,532	100% 100%	16,961 11.933	100%	28%	61,329	21%	56.200
				,						,				Z170	30,200
	2001/2002	4,149	100%	6,049	100% 100%	5,240	100% 100%	4,690	100%	15,438	100%				
	2000/ 2001	4,115	100%	5,222		4,792	,	4,714	100%	14,128	100%				
	1999/ 2000	3,480	100%	4,421	100%	3,984	100%	3,641	100%	11,886	100%				

Landings in live weight.

^{2.} Gear data are based on vessel trip reports.

^{3.} State landings for CT are estimated for the May 2003 - Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

^{*} Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

* For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	AUG 03
	1000 Lbs	Percent						
GULF OF MAINE	18	2%	818	41%	812	68%	1,731	33%
OTTER TRAWL	8	1%	817	41%	809	67%	1,717	33%
GILLNET	0	0%	2	0%	1	0%	3	0%
HOOK	9	1%	0	0%	0	0%	9	0%
OTHER GEARS	0	0%	0	0%	1	0%	1	0%
							0	
SNE/ MID-ATLANTIC	702	98%	1,154	59%	388	32%	3,439	67%
OTTER TRAWL	702	98%	1,103	56%	388	32%	3,388	66%
GILLNET	0	0%	51	3%	0	0%	51	1%
HOOK	0	0%	0	0%	0	0%	0	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
							0	
ALL AREAS	720	100%	1,973	100%	1,199	100%	5,170	100%
OTTER TRAWL	710	99%	1,920	97%	1,197	100%	5,105	99%
GILLNET	0	0%	53	3%	1	0%	54	1%
HOOK	9	1%	0	0%	0	0%	9	0%
OTHER GEARS	0	0%	0	0%	1	0%	1	0%
LANDINGS - ALL AREAS								
Fishing Year 2003/2002	720		1,973		1,199		5,170	
Fishing Year 2002/2003	1,359		1,691		1,685		6,530	
Fishing Year 2001/2002	2,748		2,788		3,225		11,444	
Fishing Year 2000/2001	2,157		2,599		2,931		9,731	
Fishing Year 1999/2000	2,695		2,588		3,015		11,557	
Fishing Year 1998/1999	3,353		3,069		2,610		11,802	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2003 - Aug 2003

	STOCK AREAS GEAR TYPES												
PORT/ STATE	MAY - AUG 03	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	НО	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	235	235	100%	0	0%	224	95%	1	1%	9	4%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	2,655	1,100	41%	1,555	59%	2,655	100%	0	0%	0	0%	0	0%
Point Judith, RI	1,446	240	17%	1,206	83%	1,446	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	31	31	100%	0	0%	30	98%	1	0%	0	0%	0	0%
MASSACHUSETTS	2,976	1,421	48%	1,555	52%	2,963	100%	3	0%	9	0%	1	0%
RHODE ISLAND	1,521	240	16%	1,281	84%	1,470	97%	51	3%	0	0%	0	0%
CONNECTICUT	360	0	0%	360	100%	360	100%	0	0%	0	0%	0	0%
NEW YORK	252	39	15%	213	85%	252	100%	0	0%	0	0%	0	0%
NEW JERSEY	30	0	0%	30	100%	30	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,170	1,731	33%	3,439	67%	5,105	99%	54	1%	9	0%	1	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561 Southern New England: 525-552, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

									2003/20	004*	2002/2	2003*
	JUN -	2003	JUL -	2003	AUG -	2003	MAY 03 -	AUG 03	May03-Aug03	Target	May02-Jul02	Target
									as a % of Target	TAC	as a % of	TAC
	1000 Lbs	Percent	TAC	1000 Lbs	Target TAC	1000 Lbs						
NORTHERN	2,648	50%	2,513	66%	1,628	72%	8,285	48%	21%	39,039	33%	25,737
OTTER TRAWL	1,850		1,164	31%		12%	4,719	27%			14%	
GILLNET	762		1,161	31%	981	43%	2,952	17%	8%		9%	
HOOK	0	0 70	0	0%		0%	0	0%	0%		0%	
OTHER GEARS	37	1%	189	5%	383	17%	614	4%	2%		0%	
	-						0				0%	
SOUTHERN	2,641	50%	1,288	34%	634	28%	8,986	52%	40%	22,511	23%	17,463
OTTER TRAWL	200		243	6%		7%	897	5%	4%		2%	
GILLNET	2,170		715	19%		5%	6,805	39%	30%		16%	
HOOK	0	0 70	0	0%		0%	0	0%	0%		0%	
OTHER GEARS	271	5%	331	9%	368	16%	1,284	7%	6%		4%	
	,				-		0				0%	
ALL AREAS	5,289	100%	3,802	100%	2,262	100%	17,271	100%	28%	61,551	56%	43,200
OTTER TRAWL	2,049		1,407	37%		18%	5,616	33%			15%	
GILLNET	2,931	55%	1,875	49%	,	48%	9,757	56%	16%		25%	
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%	
OTHER GEARS	308	6%	519	14%	751	33%	1,898	11%	3%		4%	
LANDINGS - ALL AREAS												
Fishing Year 2003/2004	5,289		3,802		2,262		17,271					
Fishing Year 2002/2003	4,614		3,284		3,047		14,415					
Fishing Year 2001/2002	5,415		3,727		3,316		16,959					
Fishing Year 2000/2001	3,935		2,897		2,818		13,272					
Fishing Year 1999/2000	6,405		3,208		3,108		20,036					
Fishing Year 1998/1999	6,015		4,006		3,323		20,726					

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May - Aug 2003

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY - AUG 03	NORT	HERN	SOUT	HERN	OTTER	TRAWL	GILL	NET	но	ок	OTHER (GEARS
	1000 Lbs	1000 Lbs	Percent										
Portland, ME	1,713	1,669	97%	44	3%	1,312	77%	401	23%	0	0%	0	0%
Gloucester, MA	2,389	2,324	97%	65	3%	854	36%	1,532	64%	0	0%	3	0%
Boston, MA	500	500	100%	0	0%	500	100%	0	0%	0	0%	0	0%
New Bedford, MA	3,843	1,481	39%	2,362	61%	1,213	32%	1,061	28%	0	0%	1,568	41%
Point Judith, RI	1,129	78	7%	1,051	93%	362	32%	702	62%	0	0%	65	6%
MAINE	2,409	2,361	98%	48	2%	1,909	79%	500	21%	0	0%	0	0%
NEW HAMPSHIRE	564	564	100%	0	0%	32	6%	526	93%	0	0%	6	1%
MASSACHUSETTS	8,295	4,993	60%	3,302	40%	2,832	34%	3,873	47%	0	0%	1,591	19%
RHODE ISLAND	2,231	366	16%	1,864	84%	690	31%	1,472	66%	0	0%	69	3%
CONNECTICUT	196	0	0%	196	100%	32	16%	142	72%	0	0%	23	12%
NEW YORK	188	0	0%	188	100%	11	6%	176	94%	0	0%	1	0%
NEW JERSEY	2,566	0	0%	2,566	100%	81	3%	2,310	90%	0	0%	176	7%
OTHER NORTHEAST	821	0	0%	821	100%	29	4%	759	92%	0	0%	33	4%
TOTAL	17,271	8,285	48%	8,986	52%	5,616	33%	9,757	56%	0	0%	1,898	11%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 Aug. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	JUN -	2003	JUL - :	2003	AUG -	2003	MAR - A	UG 03
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
GULF OF MAINE	48	1%	63	1%	11	0%	359	1%
OTTER TRAWL	1	0%	0	0%	0	0%	2	0%
DREDGE	47	1%	63	1%	11	0%	356	1%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
SOUTH CHANNEL	725	10%	1.421	20%	060	450/	4 204	12%
					868	15%	4,281	
OTTER TRAWL	1	0%	4 447	0%	1	0%	27	0%
DREDGE	724	10%	1,417	20%	868	15%	4,254	12%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
GEORGES BANK NORTH	513	7%	251	4%	374	6%	2,441	7%
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%
DREDGE	513	7%	251	4%	374	6%	2,441	7%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
GEORGES BANK SOUTH	151	2%	463	7%	352	6%	1,109	3%
OTTER TRAWL	0		463		0		1,109	
_		0%		0%		0%		0% 3%
DREDGE	151	2%	463	7%	352	6%	1,108	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
S. NEW ENGLAND	0	0%	28	0%	0	0%	104	0%
OTTER TRAWL	0	0%	0	0%	0	0%	5	0%
DREDGE	0	0%	28	0%	0	0%	99	0%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
NEW YORK BIGHT	2,788	37%	1.747	25%	1,037	18%	12,586	35%
OTTER TRAWL	34	0%	24	0%	2	0%	166	0%
DREDGE	2,754	37%	1,724	24%	1,035	18%	12,420	34%
OTHER GEARS	0	0%	0	0%	0	0%	0	0%
DE (MD ()/A	0.070	400/	0.000	43%	3,063	500 /	45.000	400/
DE / MD / VA	3,273	43%	3,096	4.5%	.5.00.5	53%	15,230	42%
	202	F0/					2.027	C0/
OTTER TRAWL	362	5%	311	4%	357	6%	2,037	6%
DREDGE	2,911	39%	311 2,785	4% 39%	357 2,705	6% 46%	13,193	36%
			311	4%	357	6%		
DREDGE	2,911 0 26	39% 0% 0%	311 2,785 0	4% 39% 0% 1%	357 2,705 0	6% 46% 0% 2%	13,193 0	36% 0% 1%
DREDGE OTHER GEARS	2,911 0 26	39% 0%	311 2,785 0 48	4% 39% 0% 1% 0%	357 2,705 0 129	6% 46% 0% 2% 0%	13,193	36% 0% 1% 0%
DREDGE OTHER GEARS VA / NC OTTER TRAWL DREDGE	2,911 0 26	39% 0% 0%	311 2,785 0	4% 39% 0% 1%	357 2,705 0	6% 46% 0% 2%	13,193 0	36% 0% 1%
DREDGE OTHER GEARS VA / NC OTTER TRAWL	2,911 0 26	39% 0% 0% 0%	311 2,785 0 48	4% 39% 0% 1% 0%	357 2,705 0 129	6% 46% 0% 2% 0%	13,193 0 337 16	36% 0% 1% 0% 1%
DREDGE OTHER GEARS VA / NC OTTER TRAWL DREDGE OTHER GEARS	2,911 0 26 3 23 0	39% 0% 0% 0% 0% 0%	311 2,785 0 48 10 38 0	4% 39% 0% 1% 0% 1% 0%	357 2,705 0 129 3 126 0	6% 46% 0% 2% 0% 2% 0%	13,193 0 337 16 321 0	36% 0% 1% 0% 1%
DREDGE OTHER GEARS VA / NC OTTER TRAWL DREDGE OTHER GEARS ALL AREAS	2,911 0 26 3 23 0	39% 0% 0% 0% 0% 0%	311 2,785 0 48 10 38 0	4% 39% 0% 1% 0% 1% 0%	357 2,705 0 129 3 126 0	6% 46% 0% 2% 0% 2% 0%	13,193 0 337 16 321 0	36% 0% 1% 0% 1% 0%
DREDGE OTHER GEARS VA / NC OTTER TRAWL DREDGE OTHER GEARS	2,911 0 26 3 23 0	39% 0% 0% 0% 0% 0%	311 2,785 0 48 10 38 0	4% 39% 0% 1% 0% 1% 0%	357 2,705 0 129 3 126 0	6% 46% 0% 2% 0% 2% 0%	13,193 0 337 16 321 0	36% 0% 1% 0% 1% 0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526 Georges Bank North: 561-562; Georges Bank South: 525

Georges Bank North: 561-562; Georges Bank South: 525 Southern New England: 537-539; New York Bight: 611-616 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

- 2. Landings in meat weight.
- 3. State landings for CT are estimated for the Mar. 2003 Aug 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is March 1 through February 29.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March - Aug 2003

									STO	CK AREA	S						
PORT/ STATE	MAR - AUG 03	GULF OF	MAINE	SOUTH C	HANNEL	GEORGE NOF	-	GEORGE SOI	-	SOUTHE ENGI	RN NEW _AND	NEW YOR	RK BIGHT	DELM	ARVA	_	/ NORTH DLINA
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	15,732	10	0%	3,854	24%	2,401	15%	1,109	7%	99	1%	6,975	44%	1,249	8%	36	0%
Cape May, NJ	4,876	0	0%	0	0%	0	0%	0	0%	0	0%	1,944	40%	2,905	60%	26	1%
Norfolk, VA	11,131	0	0%	21	0%	0	0%	0	0%	0	0%	690	6%	10,161	91%	259	2%
								0									
MAINE	70	20	28%	50	72%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	99	12	12%	87	88%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	16,343	327	2%	4,122	25%	2,413	15%	1,109	7%	104	1%	6,983	43%	1,249	8%	36	0%
RHODE ISLAND	24	0	0%	0	0%	0	0%	0	0%	0	0%	24	98%	0	0%	0	0%
CONNECTICUT	930	0	0%	0	0%	28	3%	0	0%	0	0%	903	97%	0	0%	0	0%
NEW JERSEY	7,363	0	0%	0	0%	0	0%	0	0%	0	0%	3,962	54%	3,374	46%	26	0%
VIRGINIA	11,487	0	0%	21	0%	0	0%	0	0%	0	0%	710	6%	10,481	91%	274	2%
OTHER NORTHEAST	130	0	0%	0	0%	0	0%	0	0%	0	0%	5	4%	125	96%	0	0%
TOTAL	36,447	359	1%	4,281	12%	2,441	7%	1,109	3%	104	0%	12,586	35%	15,230	42%	337	1%

				GEAR	TYPES		
PORT/ STATE	MAR - AUG 03	OTTER	TRAWL	DRE	DGE	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	15,732	3	0%	15,729	100%	0	0%
Cape May, NJ	4,876	621	13%	4,255	87%	0	0%
Norfolk, VA	11,131	1,275	11%	9,856	89%	0	0%
MAINE	70	0	0%	70	100%	0	0%
NEW HAMPSHIRE	99	0	0%	99	100%	0	0%
MASSACHUSETTS	16,343	14	0%	16,329	100%	0	0%
RHODE ISLAND	24	0	0%	24	98%	0	0%
CONNECTICUT	930	0	0%	930	100%	0	0%
NEW JERSEY	7,363	690	9%	6,673	91%	0	0%
VIRGINIA	11,487	1,517	13%	9,970	87%	0	0%
OTHER NORTHEAST	130	33	26%	97	74%	0	0%
TOTAL	36,447	2,255	6%	34,191	94%	0	0%

 The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. State landings for CT are estimated for the Mar. Aug. 2003 period.
- 3. Landings in meat weight.
- 4. Gear data are based on vessel trip reports.